



MODERN
ALUMINIUM



Aluminium Profiles Manufacturer in East Africa

An ISO 9001:2015 | ISO 14001:2015 | ISO 45001:2018
Certified Company

CATALOG 2025

Sliding Doors & Windows

Office Partitions & Shop Fronts

Curtain Walls

COMPANY PROFILE



Modern Aluminium is the pilot of aluminium industries in East Africa. Our production and manufacturing facility allows us to deliver wide range of Aluminium profiles, molding, surface treatment, Power Coating, Wood Printing to the aluminium partitions, windows, curtain wall and its installation.

Modern Aluminium's Capacity Features:

All types of Profile Manufacturing Facility.

- 200 skilled labors
- Strong Base and Network
- Competitive Price
- Technical Expertise
- Widely spread Supply Chain in East Africa, Central Africa and West Africa
- Quality Products



OUR VISION

Our vision is to provide quality custom and innovative solutions to meet the ever changing customer's needs in the era of fast changing markets and technology that surpasses the customer's expectations.



OUR MISSION

To become Africa's Premier Aluminium Extrusion company in the next 5 years and shape a sustainable future of our country through innovative, affordable customised solutions.

PRODUCT RANGE

Wide range of Aluminium Profiling possible with high tech extrusion and manufacturing facility.



Sliding Doors & Windows



Office Partitions & Shop Fronts



Curtain Walls

*Latest Technology Manufacturing
with large production capacity*



*Design and Architectural Expertise
and well equipped labors*



*Technical Expertise for accuracy
and precision of the fitting*



Die / Mold Manufacturing Facility :

Modern aluminum having own die / mold manufacturing facility in factory premises for making any type of aluminum extrusion profiles / section die / mold can be made as per customer required design / drawing.

UGANDA NATIONAL BUREAU OF STANDARDS

Permit to use the Uganda Standard Certification Mark



PERMIT NO : 00187-0983-0001

In accordance with the UNBS Act No. 1 of 1983 and the Certification Regulations

Permit is hereby granted to Modern Distillers Limited


of Buikwe Located at Plot 19 Kyaggwe, Block 295 Njeru, Model Farm Road, Mbiko

to use the Uganda Standards Certification Mark for its Wrought aluminium alloy extruded profiles -
MODERN ALUMINIUM

Based on Uganda Standard US ISO 6362-2:2014

This permit is valid from 16th August 2024 to 16th August 2025

Certification Decision made on 16th DAY of August 2024 at UNBS HEADQUARTERS



UGANDA NATIONAL BUREAU OF STANDARDS

Plot 2-12, By-pass Link, Bweyogerere Industrial & Business Park, P.O Box 6329, Kampala.
Tel: +256417333250, Toll Free: 0800 133 133

MATERIAL SPECIFICATION

CHEMICAL COMPOSITION & MECHANICAL PROPERTIES OF ALLOY 6063 IN TEMPER T5 & T6

GENERAL CHEMICAL COMPOSITION OF ALLOY			
Alloy	6063 (%)	6063A(%)	6061(%)
Si	0.3~0.7	0.3~0.6	0.4~0.8
Fe	0.60	0.15~0.35	0.7
Cu	0.10	0.1	0.15~0.40
Mn	0.30	0.15	0.15
Mg	0.40~0.9	0.6~0.90	0.8~1.2
Ti	0.20	0.1	0.15
Zn	0.20	0.15	0.25
Cr	0.10	0.05	0.04~0.35
Others (each)	0.05	0.05	0.05
Aluminium	Remainder	Remainder	Remainder

MECHANICAL PROPERTIES

		Alloy 6063	
		T5	T6
Ult. Tensile Strength	N/mm ²	150	185
0.2% Proof Stress	N/mm ²	110	150
Hardness (Brinell)	BHN	50	60
Ult. Shear Strength	N/mm ²	155	
Elongation on 50mm	%	8	
Density	g/cm ³	2.7	
Melting Range	Deg.C.	600 - 650	
Coefficient of Linear Expansion	X10 ⁻⁶ /Deg.C.	23	
Modulus of Elasticity	N/mm ²	67000	
Fatigue Strength (50 10 cycles)	N/mm ²	60	


BRITISH STANDARD SPECIFICATIONS

Chemical & Mechanical Properties EN 755-2:2008 & IS1285:2002

Extrusion Dimensions Tolerances	BS : 1474
Anodizing Finish	BS EN 12373 - 1 2001 Clause 7 (BS : 6161 Part 6) BS : 3987 Clauses 2, 3, 5, 6 Appendix - A, B, C, D, E, F, G, H, I, J, K, L
Powder Coating	BS : 6496 Clause 10.4, 10.5, 10.6, 10.7 & 10.8 ISO 2360 / 2813 / 2409 / 2931


1	Rectangular Tube	7
2	Square Tube / Square Radius Tube / Rectangle Radius Tube	8
3	Equal Size Angels / Unequal Size Angel / Flat Bars	9
4	Round Tube / Solid Round Bar / Solid Square Bar / Hexagonal Bar / Flat Bar For Window Locking	10
5	Euro Shutter Angel Joiner / Projected Shutter Angel / Projected Outer & Shutter Angel	11
6	U Channel	12
7	Affordable Windows & Doors Series	13-14
8	Euro Sliding Windows & Doors Series	15-17
9	Euro Sliding Double Glazing Windows & Doors Series	18
10	Connection Series	19
11	Dubai Sliding Windows & Doors Series	20-22
12	Affordable Column Door (swing Door) Series	23
13	Door Handles & Partition Series	24
14	Column Door & Swing Door Series	25-26
15	Partition Series	27
16	Light Partition Series	28
17	Euro Column Door & Projection Series	29-31
18	Double Glazing Door & Fix Partition Double Glazing Series	32
19	50mm Projection Series	33-34
20	40mm & 30mm Projection Series	35
21	Rolling Net & Sliding Net Series & Rolling Shutter Series	36
22	Curtain Wall Series	37-38
23	Beading Butterfly Connection Series	39
24	Aluminium Panel Series	40
25	80 Mm Sliding Series	41-42
26	Single Track, 2 Track & 3 Track Sliding Windows & Door Series	43-46
27	Connection & Furniture Section	47
28	Display Section	48
29	Curtain Wall Door Frame Door Shutter Projected	49
30	Sliding 70 Light Series	50
31	Bus Body	51
32	Sliding Glass Profile & Connection Series	52
33	2001 Series Accessories	53
34	Euro Sliding Accessories	54-55
35	46 Series Accessories	56
36	Euro Doors Projected Series Accessories	57-58
37	General Accessories	59-63

RECTANGULAR TUBE



CODE	SIZE (AXB)	THICKNESS	Weight (Kgs) 6.4 mtr
1001	100 x 44	2.0 mm	10.3 kg
1001A	100 x 44	1.2 mm	6.1 kg
1001B	100 x 44	1.5 mm	7.3 kg
1002	100 x 25	1.4 mm	6.3 kg
1003	90 x 25	1.4 mm	5.8 kg
1004	50 x 25	1.2 mm	3.1 kg
1004A	50 x 25	1.8 mm	4.5 kg
1005	80 x 40	1.2 mm	5.0 kg
1005A	80 x 40	1.5 mm	6.5 kg
1005B	80 x 40	6.0 mm	23.0 kg
1006	76 X 44	2.0 mm	8.5 kg
1006A	76 X 44	1.5 mm	6.5 kg
1006B	76 X 44	1.2 mm	5.1 kg
1007	38 x 25	1.2 mm	2.5 kg
1008	60 x 40	1.5 mm	5.5 kg
1009	90 X 50	1.2 mm	6.2 kg
1010	90 X 40	1.2 mm	5.5 kg
1019	30 X 25	1.2 mm	2.6 kg
1020	20 x 15	1.2 mm	1.75 kg
1025	76 X 25	1.4 mm	5.2 kg
1026	45 X 25	1.5 mm	3.9 kg
1027	75 X 44	1.0 mm	4.3 kg
1001N	100 X 43.75	1.0 mm	5.2 kg
1028N	70 X 25	1.0 mm	3.4 kg
1005C	80 X 40	2.0 mm	8.5 kg


SQUARE TUBE



SQUARE TUBE

CODE	SIZE (AXB)	THICKNESS	Weight (Kgs) 6.4 mtr
1012	25 x 25	1.2 mm	2.1 kg
1014	40 X 40	1.5 mm	4.3 kg
1015	80 X 80	2.1 mm	11.1 kg
1016	100 X 100	2.3 mm	16.1 kg
1022	45 x 45	1.35 mm	4.5 kg
1024	20 X 20	1.2 mm	1.65 kg
1012 N	25 X 25	1.0 mm	1.8 kg


SQUARE RADIUS TUBE



SQUARE RADIUS TUBE

CODE	SIZE (AXB)	RADIUS	THICKNESS	Weight (Kgs) 6.4 mtr
1013	35 x 35	3.5 mm	2.5 mm	5.1 kg
1021	30 X 30	7.0 mm	1.0 mm	2.1 kg

RECTANGLE RADIUS TUBE




RECTANGLE RADIUS TUBE

CODE	SIZE (AXB)	RADIUS	THICKNESS	Weight (Kgs) 6.4 mtr
1017	63 x 17	4.0 mm	1.0 mm	3.0 kg
1018	62 X 23	2.75 mm	1.0 mm	2.85 kg
1023	35 X 27.5	3.5 mm	2.5 mm	5.3 kg


EQUAL SIZE ANGELS

CODE	SIZE (Equal)	THICKNESS	Weight (Kgs) 6.4 mtr
1201	15 x 15	1.5 mm	0.8 kg
1202	20 x 20	1.2 mm	0.9 kg
1202A	20 x 20	1.5 mm	1.3 kg
1203	25 x 25	2.0 mm	1.8 kg
1203A	25 x 25	1.2 mm	1.4 kg
1204	38 x 38	2.5 mm	3.3 kg
1204A	38 x 38	3.2 mm	4.4 kg
1204B	38 x 38	3.0 mm	4.2 kg
1205	40 x 40	4.5 mm	6.2 kg
1205A	40 x 40	5.0 mm	6.8 kg
1212	50 x 50	3.0 mm	5.6 kg
1202N	20 x 20	1.0 mm	0.7 kg
1203N	25 x 25	1.0 mm	0.9 kg
1212N	50 x 50	2.5 mm	4.65 kg



UNIEQUAL ANGELS


CODE	SIZE (AxB)	THICKNESS	Weight (Kgs) 6.4 mtr
1206	20 x 30	2.0 mm	1.8 kg
1207	25 x 50	3.0 mm	3.8 kg
1207A	25 x 50	2.5 mm	3.5 kg
1210	10.2 x 15.2	1.0 mm	0.8 kg
1211	50 x 100	5.5 mm	14.2 kg
1213	50 x 100	3.0 mm	8.4 kg



FLAT BARS


CODE	SIZE A	THICKNESS	Weight (Kgs) 6.4 mtr
1504	40 mm	3.0 mm	2.3 kg
1506	26 mm	3.0 mm	1.6 kg
1507	30.2 mm	3.2 mm	2.0 kg
1511	25.9 mm	3.0 mm	1.5 kg
1512	29.6 mm	3.2 mm	1.8 kg






ROUND TUBE

CODE	SIZE (Dia.)	THICKNESS	Weight (Kgs) 6.4 mtr
1101	22 mm	1.2 mm	1.7 kg
1102	16 mm	1.5 mm	1.25 kg
1104	8 mm	1.0 mm	0.5 kg
1105	6 mm	1.1 mm	0.4 kg
1106	25 mm	1.5 mm	2.5 kg
1107	31.75 mm	1.65 mm	2.8 kg
1108	89 mm	3.5 mm	17 kg
1109	50 mm	1.5 mm	4.2 kg




SOLID ROUND BAR

CODE	SIZE (Dia.)	THICKNESS	Weight (Kgs) 6.4 mtr
1502	11 mm	11 mm	2.0 kg
1510	10 mm	10 mm	1.6 kg
1513	16 mm	16 mm	3.8 kg
1514	19 mm	19 mm	5.5 kg




SOLID SQUARE BAR

CODE	SIZE (AXB)	THICKNESS	Weight (Kgs) 6.4 mtr
1501	13 x 13	13 mm	3.5 kg




HEXAGONAL BAR

CODE	SIZE (AXB)	THICKNESS	Weight (Kgs) 6.4 mtr
1503	16 x 18.5	16 mm	4.3 kg



FLAT BAR FOR WINDOW LOCKING

CODE	SIZE (AXBXC)	THICKNESS	Weight (Kgs) 6.4 mtr
1505	14.8 x 19.4 x 1.45	2.9 mm	0.9 kg
1508	14.8 x 20 x 2.3	4.0 mm	1.2 kg
1509	22.5 x 26.5 x 1.5	2.5 mm	1.4 kg




EURO SHUTTER ANGLE JOINER 38 x 38

CODE	SIZE (AXB)	THICKNESS	Weight (Kgs) 6.4 mtr
1208	38 x 38	2.1 mm	5.0 kg


EURO PROJECTED & EURO DOOR ANGLE 50 X 50

CODE	SIZE (AXB)	THICKNESS	Weight (Kgs) 6.4 mtr
1208A	50 X 50	2.0 mm	7.4 kg




PROJECTED SHUTTER ANGLE

CODE	SIZE (AXB)	THICKNESS	Weight (Kgs) 6.4 mtr
1209	66 x 66	2.0 mm	13.4 kg



PROJECTED OUTER & SHUTTER ANGLE


CODE	SIZE (AXB)	THICKNESS	Weight (Kgs) 6.4 mtr
01-15	50 x 50	2.4 mm	6.0 kg





T CHANNEL


CODE	SIZE (AXB)	THICKNESS	Weight (Kgs) 6.4 mtr
1401	31 x 19	1.6 mm	1.7 kg
1402	11.6 x 16.6	2.8 mm	2.1 kg
MA-105	30 x 18	1.2 mm	1.5 kg


U CHANNEL


U CHANNEL		
		
CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR
1301	1.5 mm	3.7 kg


U CHANNEL		
		
CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR
1302	1.0 mm	0.6 kg


U CHANNEL		
		
CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR
1303	1.2 mm	1.7 kg


U CHANNEL		
		
CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR
1304	2.0 mm	4.1 kg


U CHANNEL		
		
CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR
1305	2.0 mm	4.1 kg

U CHANNEL		
		
CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR
1306	1.9 mm	3.6 kg


U CHANNEL		
		
CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR
1307	1.5 mm	2.1 kg


LOUVER CHANNEL		
		
CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR
01-143	1.2 mm	1.7 kg


U CHANNEL		
		
CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR
1310N	1.0 mm	1.1 kg


U CHANNEL		
		
CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR
1311N	1.0 mm	0.97 kg


AFFORDABLE WINDOWS & DOORS SERIES


TOP FRAME		
		
CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR
CH 2001-1	1.2 mm	8.2 kg
CH 2001-1A	1.0 mm	7.1 kg


TOP VENT		
		
CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR
CH 2001-5	1.2 mm	3.6 kg


BOTTOM SHUTTER		
		
CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR
CH 2001-9	1.2 mm	3.8 kg
CH 2001-9A	1.0 mm	3.1 kg


FLAT TOP FRAME		
		
CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR
CH 2001-2	1.2 mm	5.4 kg
CH 2001-2A	1.0 mm	4.7 kg


VENT TRANSOME		
		
CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR
CH 2001-6	1.2 mm	5.2 kg


LOCKING SHUTTER		
		
CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR
CH 2001-10	1.2 mm	4.4 kg
CH 2001-10A	1.0 mm	3.7 kg


FLAT BOTTOM		
		
CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR
CH 2001-3	1.2 mm	5.9 kg

SIDE HEIGHT FRAME		
		
CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR
CH 2001-7	1.2 mm	4.0 kg
CH 2001-7A	1.0 mm	3.8 kg

SHUTTER INTER LOCK		
		
CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR
CH 2001-11	1.2 mm	4.1 kg
CH 2001-11A	1.0 mm	3.5 kg


STEP BOTTOM		
		
CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR
CH 2001-4	1.2 mm	7.1 kg
CH 2001-4A	1.0 mm	6.0 kg

TOP SHUTTER		
		
CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR
CH 2001-8	1.2 mm	3.5 kg
CH 2001-8A	1.0 mm	3.0 kg

SLIDING NET SHUTTER		
		
CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR
CH 2001-12	1.1 mm	2.3 kg


AFFORDABLE WINDOWS & DOORS SERIES

SIDE COVER




CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR
CH-2001-14	1.0 mm	2.3 kg

NET MEETING CHANNEL




CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR
CH-2001-20	1.0 mm	0.7 kg

LOUVER CHANNEL




CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR
01-151	1.2 mm	1.4 kg

BEADING




CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR
CH 2001-15	0.9 mm	0.7 kg

BOTTOM COVER




CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR
CH-2001-21	1.1 mm	2.5 kg

LOUVER CHANNEL




CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR
01-152	1.2 mm	2.0 kg

SLIDING TRANSOME




CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR
CH-2001-16	1.2 mm	4.4 kg

FIX NET




CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR
01-149	1.4 mm	2.0 kg
01-149 A	1.2 mm	1.4 kg

FIX NET




CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR
01-153	1.2 mm	1.4 kg

MEETING CHANNEL FOR 4 PART




CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR
CH 2001-19	1.2 mm	1.1 kg

LOUVER




CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR
01-150	1.2 mm	2.3 kg
01-150-A	1.1 mm	2.0 kg

LOUVER




CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR
01-154	1.1 mm	1.8 kg

EURO SLIDING WINDOWS & DOORS SERIES




EURO SLIDING WINDOWS & DOORS SERIES

2 TRACK SLIDING FRAME




CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR
EU 90-1	1.5 mm	5.5 kg
EU 90-1A	1.2 mm	4.8 kg

SLIDING SHUTTER TRANSOME




CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR
EU 90-5	1.2 mm	3.8 kg
EU 90-5A	1.5 mm	4.3 kg

VENT OUTER FRAME




CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR
EU 90-12	1.2 mm	8.0 kg
EU 90-12A	1.5 mm	9.4 kg
EU 90-12B	1.0 mm	7.2 kg

2 TRACK SLIDING FRAME




CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR
EU 90-2	2.0 mm	5.8 kg

INTER LOCK




CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR
EU 90-8	1.2 mm	2.3 kg
EU 90-8A	1.5 mm	2.5 kg
EU 90-8B	1.0 mm	2.0 kg

VENT TRANSOME




CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR
EU 90-7	1.2 mm	8.2 kg
EU 90-7A	1.0 mm	7.5 kg

3 TRACK SLIDING FRAME




CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR
EU 90-3	1.5 mm	7.6 kg
EU 90-3A	2.0 mm	8.6 kg
EU 90-3B	1.2 mm	7.0 kg

SLIDING MOSQUITO NET




CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR
EU 90-9	1.2 mm	0.9 kg
EU 90-9A	1.5 mm	1.1 kg

VENT OUTER FRAME




CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR
EU 90-13	1.2 mm	5.2 kg
EU 90-13A	1.0 mm	4.8 kg

SLIDING SHUTTER




CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR
EU 90-4	1.2 mm	5.0 kg
EU 90-4A	1.0 mm	4.3 kg
EU 90-4B	1.5 mm	5.6 kg

MEETING CHANNEL















CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR
EU 90-11	1.2 mm	1.5 kg

SLIDING NET SHUTTER









CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR
EU 90-28	1.2 mm	5.5 kg

EURO SLIDING WINDOWS & DOORS SERIES

VENT FRAME  <table border="1"> <thead> <tr> <th>CODE</th><th>THICKNESS</th><th>WEIGHT (KGS) 6.4 MTR</th></tr> </thead> <tbody> <tr> <td>EU 90-14</td><td>1.2 mm</td><td>5.3 kg</td></tr> </tbody> </table>	CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR	EU 90-14	1.2 mm	5.3 kg	3 TRACK SLIDING FRAME  <table border="1"> <thead> <tr> <th>CODE</th><th>THICKNESS</th><th>WEIGHT (KGS) 6.4 MTR</th></tr> </thead> <tbody> <tr> <td>EU 90-19</td><td>1.2 mm</td><td>5.9 kg</td></tr> </tbody> </table>	CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR	EU 90-19	1.2 mm	5.9 kg	2 TRACK WITH OVERLAP FRAME  <table border="1"> <thead> <tr> <th>CODE</th><th>THICKNESS</th><th>WEIGHT (KGS) 6.4 MTR</th></tr> </thead> <tbody> <tr> <td>EU 90-22</td><td>1.5 mm</td><td>5.9 kg</td></tr> </tbody> </table>	CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR	EU 90-22	1.5 mm	5.9 kg			
CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR																					
EU 90-14	1.2 mm	5.3 kg																					
CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR																					
EU 90-19	1.2 mm	5.9 kg																					
CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR																					
EU 90-22	1.5 mm	5.9 kg																					
VENT TRANSOME  <table border="1"> <thead> <tr> <th>CODE</th><th>THICKNESS</th><th>WEIGHT (KGS) 6.4 MTR</th></tr> </thead> <tbody> <tr> <td>EU 90-6</td><td>1.2 mm</td><td>6.0 kg</td></tr> </tbody> </table>	CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR	EU 90-6	1.2 mm	6.0 kg	VENT OUTER FRAME  <table border="1"> <thead> <tr> <th>CODE</th><th>THICKNESS</th><th>WEIGHT (KGS) 6.4 MTR</th></tr> </thead> <tbody> <tr> <td>EU 90-20</td><td>1.1 mm</td><td>3.7 kg</td></tr> </tbody> </table>	CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR	EU 90-20	1.1 mm	3.7 kg	3 TRACK BIG FRAME  <table border="1"> <thead> <tr> <th>CODE</th><th>THICKNESS</th><th>WEIGHT (KGS) 6.4 MTR</th></tr> </thead> <tbody> <tr> <td>EU 90-23</td><td>1.2 mm</td><td>10.2 kg</td></tr> <tr> <td>EU 90-23A</td><td>1.5 mm</td><td>12.5 kg</td></tr> </tbody> </table>	CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR	EU 90-23	1.2 mm	10.2 kg	EU 90-23A	1.5 mm	12.5 kg
CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR																					
EU 90-6	1.2 mm	6.0 kg																					
CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR																					
EU 90-20	1.1 mm	3.7 kg																					
CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR																					
EU 90-23	1.2 mm	10.2 kg																					
EU 90-23A	1.5 mm	12.5 kg																					
80 MM SLIDING SHUTTER FOR DOOR  <table border="1"> <thead> <tr> <th>CODE</th><th>THICKNESS</th><th>WEIGHT (KGS) 6.4 MTR</th></tr> </thead> <tbody> <tr> <td>EU 90-15</td><td>1.5 mm</td><td>7.5 kg</td></tr> </tbody> </table>	CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR	EU 90-15	1.5 mm	7.5 kg	VENT TRANSOME  <table border="1"> <thead> <tr> <th>CODE</th><th>THICKNESS</th><th>WEIGHT (KGS) 6.4 MTR</th></tr> </thead> <tbody> <tr> <td>EU 90-21</td><td>1.1 mm</td><td>5.6 kg</td></tr> </tbody> </table>	CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR	EU 90-21	1.1 mm	5.6 kg	OVERLAP CLIP FOR 2 TRACK & 3 TRACK  <table border="1"> <thead> <tr> <th>CODE</th><th>THICKNESS</th><th>WEIGHT (KGS) 6.4 MTR</th></tr> </thead> <tbody> <tr> <td>EU 90-24</td><td>1.3 mm</td><td>1.6 kg</td></tr> </tbody> </table>	CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR	EU 90-24	1.3 mm	1.6 kg			
CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR																					
EU 90-15	1.5 mm	7.5 kg																					
CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR																					
EU 90-21	1.1 mm	5.6 kg																					
CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR																					
EU 90-24	1.3 mm	1.6 kg																					
LOCKING CHANNEL BIG DOOR SHUTTER  <table border="1"> <thead> <tr> <th>CODE</th><th>THICKNESS</th><th>WEIGHT (KGS) 6.4 MTR</th></tr> </thead> <tbody> <tr> <td>EU 90-16</td><td>1.2 mm</td><td>3.2 kg</td></tr> </tbody> </table>	CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR	EU 90-16	1.2 mm	3.2 kg	MOUSQUITO NET SHUTTER  <table border="1"> <thead> <tr> <th>CODE</th><th>THICKNESS</th><th>WEIGHT (KGS) 6.4 MTR</th></tr> </thead> <tbody> <tr> <td>EU 90-10</td><td>1.0 mm</td><td>2.7 kg</td></tr> </tbody> </table>	CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR	EU 90-10	1.0 mm	2.7 kg	2 TRACK SLIDING FRAME  <table border="1"> <thead> <tr> <th>CODE</th><th>THICKNESS</th><th>WEIGHT (KGS) 6.4 MTR</th></tr> </thead> <tbody> <tr> <td>EU 90-29</td><td>1.1 mm</td><td>3.6 kg</td></tr> </tbody> </table>	CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR	EU 90-29	1.1 mm	3.6 kg			
CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR																					
EU 90-16	1.2 mm	3.2 kg																					
CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR																					
EU 90-10	1.0 mm	2.7 kg																					
CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR																					
EU 90-29	1.1 mm	3.6 kg																					


EURO SLIDING DOUBLE GLAZING WINDOWS & DOORS SERIES

DOUBLE GLAZING SHUTTER 			DOUBLE GLAZING SHUTTER TRANSOME 			DOUBLE GLAZING BEADING FOR VENT FRAME 		
CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR	CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR	CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR
EU 90-18	1.2 mm	4.5 kg	EU 90-26	1.2 mm	4.4 kg	EU 90-25	1.2 mm	0.95 kg
EU 90-18A	1.5 mm	5.7 kg						

EURO OUTER FRAME ANGLE 			EURO SHUTTER ANGLE 			BOX SECTION FOR FIX SHUTTER 		
CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR	CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR	CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR
1204	2.5 mm	3.3 kg	1208	2.1 mm	5.0 kg	1024	1.2 mm	1.65 kg


CONNECTION SERIES

BEADING




CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR
01-142	1.0 mm	1.1 kg
01-142A	1.2 mm	1.4 kg

LOUVER CHANNEL




CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR
01-143	1.2 mm	1.7 kg

FIX NET




CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR
01-149	1.2 mm	1.4 kg
01-149A	1.4 mm	2.0 kg

LOUVER CHANNEL




CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR
01-151	1.2 mm	1.4 kg

LOUVER CHANNEL




CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR
01-152	1.2 mm	2.0 kg

FIX NET




CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR
01-153	1.2 mm	1.4 kg

LOUVER




CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR
01-150	1.2 mm	2.3 kg
01-150-A	1.1 mm	2.0 kg

LOUVER




CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR
01-154	1.1 mm	1.8 kg

DUBAI SLIDING WINDOWS & DOORS SERIES




DUBAI SLIDING WINDOWS & DOORS SERIES

BOTTOM FRAME WITH OVERLAP




CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR
DX 88-1	1.2 mm	7.9 kg

LOCKING SHUTTER




CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR
DX 88-5	1.2 mm	3.4 kg

BOTTOM FRAME




CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR
DX 88-12	1.2 mm	7.0 kg

TOP & SIDE FRAME WITH OVERLAP




CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR
DX 88-2	1.2 mm	6.1 kg

MEETING CHANNEL




CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR
DX 88-6	1.5 mm	2.1 kg

TOP & SIDE FRAME




CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR
DX 88-13	1.2 mm	5.4 kg

BOTTOM SHUTTER




CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR
DX 88-3	1.2 mm	5.4 kg

MEETING CHANNEL NEW




CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR
DX 88-6A	1.4 mm	2.1 kg

BOTTOM FRAME




CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR
DX 88-10	1.2 mm	5.1 kg

SHUTTER TOP




CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR
DX 88-4	1.2 mm	3.3 kg

INTER LOCK SHUTTER











CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR
DX 88-7	1.2 mm	4.2 kg

2 TRACK TOP & SIDE FRAME









CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR
DX 88-11	1.2 mm	4.5 kg


DUBAI SLIDING WINDOWS & DOORS SERIES


2 TRACK TOP & SIDE FRAME			2 TRACK BOTTOM FRAME			SLIDING NET SHUTTER		
								
CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR	CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR	CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR
DX 88-14	1.2 mm	4.1 kg	DX 88-15	1.2 mm	4.6 kg	DX 88-8	1.2 mm	2.8 kg
SLIDING TRANSOME			FIX OR LOUVER AREA COVER			BEADING		
								
CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR	CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR	CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR
DX 88-9	1.2 mm	4.4 kg	DX 88-16	1.2 mm	3.0 kg	10044-3	1.0 mm	1.0 kg
SLIDING NET TRANSOME			LOUVER CHANNEL					
								
CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR	CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR			
DX 88-17	1.2 mm	3.2 kg	1306	1.9 mm	3.6 kg			


AFFORDABLE COLUMN DOOR (SWING DOOR) SERIES


TOP & BOTTOM SHUTTER			OUTER FRAME			SHUTTER		
								
CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR	CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR	CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR
CH 76-1	1.2 mm	5.2 kg	CH 76-2	1.2 mm	5.9 kg	CH 76-3	1.2 mm	5.2 kg
LOCK SHUTTER			TRANSOME			OUTER FRAME		
								
CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR	CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR	CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR
CH 76-4	1.2 mm	5.8 kg	CH 76-5	1.2 mm	6.3 kg	CH 76-6	2.0 mm	11 kg


DOOR HANDLES & PARTITION SERIES


HANDLE		
		
CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR
H1	6.0 mm	15.5 kg


HANDLE		
		
CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR
H2	3.5 mm	9.0 kg


HANDLE		
		
CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR
H4	3.0 mm	9.0 kg

PARTITION TRANSOME		
		
CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR
01-139	1.2 mm	5.1 kg
01-139A	1.4 mm	5.5 kg


PARTITION TRANSOME		
		
CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR
01-140	1.2 mm	4.2 kg

PARTITION TRANSOME		
		
CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR
01-180	1.2 mm	4.4 kg
01-180A	1.4 mm	4.8 kg

KICK PLATE		
		
CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR
H3	4.0 mm	6.7 kg


BEADING		
		
CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR
01-142	1.0 mm	1.1 kg
01-142A	1.2 mm	1.4 kg

COLUMN DOOR & SWING DOOR SERIES




COLUMN DOOR & SWING DOOR SERIES

SINGLE BRUSH SHUTTER




CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR
CD 46-1	1.5 mm	6.0 kg
CD 46-1A	1.2 mm	4.8 kg

BEADING




CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR
CD 46-5	0.8 mm	0.9 kg
CD 46-5A	1.1 mm	1.3 kg

SINGLE BRUSH CLIP




CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR
CD 46-9	1.5 mm	2.0 kg

DOUBLE BRUSH CLIP




CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR
CD 46-2	1.5 mm	5.8 kg
CD 46-2A	1.2 mm	4.8 kg

SHUTTER TRANSOME, TOP & BOTTOM




CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR
CD 46-6	1.5 mm	7.7 kg
CD 46-6A	1.2 mm	6.2 kg

DOUBLE BRUSH CLIP




CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR
CD 46-10	1.5 mm	2.1 kg

SHUTTER TOP




CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR
CD 46-3	1.5 mm	5.8 kg
CD 46-3A	1.2 mm	4.6 kg

SHUTTER & OUTER FRAME




CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR
CD 46-7	1.2 mm	5.0 kg

GLASS DOOR TOP & BOTTOM




CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR
CD 46-11	2.0 mm	11.7 kg

SHUTTER




CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR
CD 46-4	1.5 mm	7.2 kg
CD 46-4A	1.2 mm	6.0 kg

SHUTTER TRANSOME



CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR
CD 46-8	1.2 mm	5.2 kg


GLASS TOP / BOTTOM SOLID



CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR
CD 46-13	2.0 mm	17 kg


PARTITION SERIES

PARTITION TRANSOME




CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR
10044-1	1.2 mm	7.8 kg
10044-1A	1.5 mm	9.4 kg

PARTITION TRANSOME




CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR
10044-2	1.2 mm	7.0 kg
10044-2A	1.5 mm	8.8 kg

BEADING




CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR
10044-3	1.0 mm	1.0 kg
10044-3A	1.2 mm	1.2 kg

PARTITION TRANSOME




CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR
8040-1	1.5 mm	8.3 kg
8040-1A	1.2 mm	6.8 kg

PARTITION TRANSOME




CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR
8040-2	1.5 mm	7.3 kg
8040-2A	1.2 mm	6.1 kg

BEADING











CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR
8040-3	1.0 mm	2.0 kg

BEADING




CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR
01-142	1.0 mm	1.1 kg
01-142A	1.2 mm	1.4 kg













LIGHT PARTITION SERIES

PARTITION FRAME			PARTITION TRANSOME			SHUTTER SIDE FRAME		
								
CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR	CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR	CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR
68-001-A	0.9 mm	3.7 kg	68-001	1.2 mm	5.5 kg	68-005	1.2 mm	7.0 kg
FLAT BAR FOR BEADING			BEADING			BEADING		
								
CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR	CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR	CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR
68-006	1.2 mm	1.8 kg	CD 46-5	0.8 mm	0.9 kg	68-002	0.8 mm	0.7 kg
			CD 46-5A	1.1 mm	1.3 kg			
FRAME & TRANSOME			DOOR BIG BOTTOM					
								
CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR	CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR			
68-004	1.0 mm	4.6 kg	CD 46-12	1.5 mm	9.0 kg			













EURO COLUMN DOOR & PROJECTION SERIES



EURO COLUMN DOOR & PROJECTION SERIES


D TRANSOME  <table border="1"> <thead> <tr> <th>CODE</th><th>THICKNESS</th><th>WEIGHT (KGS) 6.4 MTR</th></tr> </thead> <tbody> <tr> <td>EU 08-1</td><td>1.3 mm</td><td>7.4 kg</td></tr> </tbody> </table>	CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR	EU 08-1	1.3 mm	7.4 kg	DOOR SHUTTER OPEN OUT SIDE  <table border="1"> <thead> <tr> <th>CODE</th><th>THICKNESS</th><th>WEIGHT (KGS) 6.4 MTR</th></tr> </thead> <tbody> <tr> <td>EU 08-4</td><td>1.3 mm</td><td>5.8 kg</td></tr> </tbody> </table>	CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR	EU 08-4	1.3 mm	5.8 kg	BIG TRANSOME  <table border="1"> <thead> <tr> <th>CODE</th><th>THICKNESS</th><th>WEIGHT (KGS) 6.4 MTR</th></tr> </thead> <tbody> <tr> <td>EU 08-10</td><td>1.4 mm</td><td>7.5 kg</td></tr> </tbody> </table>	CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR	EU 08-10	1.4 mm	7.5 kg			
CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR																					
EU 08-1	1.3 mm	7.4 kg																					
CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR																					
EU 08-4	1.3 mm	5.8 kg																					
CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR																					
EU 08-10	1.4 mm	7.5 kg																					
TRANSOME  <table border="1"> <thead> <tr> <th>CODE</th><th>THICKNESS</th><th>WEIGHT (KGS) 6.4 MTR</th></tr> </thead> <tbody> <tr> <td>EU 08-2</td><td>1.3 mm</td><td>4.6 kg</td></tr> </tbody> </table>	CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR	EU 08-2	1.3 mm	4.6 kg	DOOR SHUTTER OPEN OUT SIDE  <table border="1"> <thead> <tr> <th>CODE</th><th>THICKNESS</th><th>WEIGHT (KGS) 6.4 MTR</th></tr> </thead> <tbody> <tr> <td>EU 08-4A</td><td>1.3 mm</td><td>6.5 kg</td></tr> </tbody> </table>	CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR	EU 08-4A	1.3 mm	6.5 kg	BOTTOM  <table border="1"> <thead> <tr> <th>CODE</th><th>THICKNESS</th><th>WEIGHT (KGS) 6.4 MTR</th></tr> </thead> <tbody> <tr> <td>EU 08-11</td><td>1.5 mm</td><td>9.3 kg</td></tr> </tbody> </table>	CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR	EU 08-11	1.5 mm	9.3 kg			
CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR																					
EU 08-2	1.3 mm	4.6 kg																					
CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR																					
EU 08-4A	1.3 mm	6.5 kg																					
CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR																					
EU 08-11	1.5 mm	9.3 kg																					
DOOR FRAME & FIX FRAME  <table border="1"> <thead> <tr> <th>CODE</th><th>THICKNESS</th><th>WEIGHT (KGS) 6.4 MTR</th></tr> </thead> <tbody> <tr> <td>EU 08-3</td><td>1.5 mm</td><td>8.2 kg</td></tr> <tr> <td>EU 08-3A</td><td>2.0 mm</td><td>11.0 kg</td></tr> </tbody> </table>	CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR	EU 08-3	1.5 mm	8.2 kg	EU 08-3A	2.0 mm	11.0 kg	DOOR MEETING CHANNEL  <table border="1"> <thead> <tr> <th>CODE</th><th>THICKNESS</th><th>WEIGHT (KGS) 6.4 MTR</th></tr> </thead> <tbody> <tr> <td>EU 08-6</td><td>1.5 mm</td><td>4.5 kg</td></tr> </tbody> </table>	CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR	EU 08-6	1.5 mm	4.5 kg	KICK PLATE  <table border="1"> <thead> <tr> <th>CODE</th><th>THICKNESS</th><th>WEIGHT (KGS) 6.4 MTR</th></tr> </thead> <tbody> <tr> <td>EU 08-14</td><td>1.4 mm</td><td>2.1 kg</td></tr> </tbody> </table>	CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR	EU 08-14	1.4 mm	2.1 kg
CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR																					
EU 08-3	1.5 mm	8.2 kg																					
EU 08-3A	2.0 mm	11.0 kg																					
CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR																					
EU 08-6	1.5 mm	4.5 kg																					
CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR																					
EU 08-14	1.4 mm	2.1 kg																					
BEADING  <table border="1"> <thead> <tr> <th>CODE</th><th>THICKNESS</th><th>WEIGHT (KGS) 6.4 MTR</th></tr> </thead> <tbody> <tr> <td>EU 08-5</td><td>1.2 mm</td><td>1.4 kg</td></tr> </tbody> </table>	CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR	EU 08-5	1.2 mm	1.4 kg	DOOR SHUTTER OPEN SIDE  <table border="1"> <thead> <tr> <th>CODE</th><th>THICKNESS</th><th>WEIGHT (KGS) 6.4 MTR</th></tr> </thead> <tbody> <tr> <td>EU 08-13</td><td>1.3 mm</td><td>6.5 kg</td></tr> </tbody> </table>	CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR	EU 08-13	1.3 mm	6.5 kg	DOUBLE FRAME  <table border="1"> <thead> <tr> <th>CODE</th><th>THICKNESS</th><th>WEIGHT (KGS) 6.4 MTR</th></tr> </thead> <tbody> <tr> <td>EU 08-9</td><td>1.5 mm</td><td>9.8 kg</td></tr> </tbody> </table>	CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR	EU 08-9	1.5 mm	9.8 kg			
CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR																					
EU 08-5	1.2 mm	1.4 kg																					
CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR																					
EU 08-13	1.3 mm	6.5 kg																					
CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR																					
EU 08-9	1.5 mm	9.8 kg																					

EURO COLUMN DOOR & PROJECTION SERIES

PROJECTED SHUTTER			DOUBLE GLAZING BEADING			BOTTOM FOR NET SHUTTER		
								
CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR	CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR	CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR
EU 08-7	1.3 mm	6.0 kg	EU 08-16	1.2 mm	1.2 kg	EU 08-15	1.2 mm	5.3 kg
PROJECTED FRAME & FIX FRAME			CLOSE BEADING FOR FRAME			NET TRANSOME		
								
CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR	CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR	CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR
EU 08-8	1.3 mm	3.9 kg	EU 08-17	1.1 mm	1.3 kg	EU 08-19	1.2 mm	4.3 kg
SIDE HUNG NET SHUTTER			CLOSE BEADING FOR TRANSOME			OVERLAP FOR PJ FRAME		
								
CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR	CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR	CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR
EU 08-12	1.3 mm	4.8 kg	EU 08-18	1.1 mm	1.6 kg	EU 08-21	1.3 mm	2.2 kg
LOCKING FLAT BAR			DOUBLE GLAZING BEADING			DOOR & FIX FRAME 115 MM SIZE		
								
CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR	CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR	CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR
1505	2.9 mm	0.9 kg	EU 08-20	1.5 mm	4.4 kg	EU 08-22	1.5 mm	9.8 kg


DOUBLE GLAZING DOOR & FIX PARTITION DOUBLE GLAZING SERIES

DOOR FRAME & FIX FRAME




CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR
EU 08-3	1.5 mm	8.2 kg
EU 08-3A	2.0 mm	11 kg

DOUBLE GLAZING DOOR SHUTTER




CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR
EU 04-4	1.5 mm	7.9 kg

DOUBLE GLAZING TRANSOME




CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR
EU 04-2	1.5 mm	8.0 kg

U CHANNEL TO MAKE SINGLE GLAZING




CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR
EU 04-5	1.2 mm	1.5 kg

DOUBLE GLAZING BOTTOM




CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR
EU 04-3	1.5 mm	8.6 kg

PARTITION DOUBLE GLAZING FIX BEADING




CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR
04-6	1.3 mm	1.8 kg

PARTITION DOUBLE GLAZING FIX SECTION



CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR
04-7	1.3 mm	9.8 kg

PARTITION DOUBLE GLAZING FIX SECTION



CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR
04-8	1.3 mm	2.7 kg


EURO COLUMN DOOR & PROJECTION SERIES

ROUND PIPE FOR BURGLAR




CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR
1102	1.5 mm	1.25 kg

EURO DOOR & PJ SHUTTER ANGLE














CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR
1208A	2.0 mm	7.4 kg

50MM PROJECTION SERIES




50MM PROJECTION SERIES

PJ SHUTTER			PJ OUTER FRAME			TRANSOME		
								
CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR	CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR	CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR
PJ 50-1	1.5 mm	5.2 kg	PJ 50-2	1.5 mm	3.2 kg	PJ 50-3	1.5 mm	5.0 kg
TAPER BEADING			STRAIGHT BEADING			TAPER BEADING		
								
CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR	CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR	CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR
PJ 50-4	1.1 mm	1.2 kg	PJ 50-5	1.0 mm	1.6 kg	PJ 50-6	1.1 mm	1.4 kg
STRAIGHT BEADING			HALF ROUND BEADING			HALF ROUND BEADING		
								
CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR	CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR	CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR
PJ 50-7	0.8 mm	1.5 kg	PJ 50-8	1.0 mm	1.3 kg	PJ 50-9	1.1 mm	1.6 kg
ANGLE FOR PJ SHUTTER			BUTTERFLY					
								
CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR	CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR			
1209	2.0 mm	13.4 kg	PJ 50-10	1.5 mm	1.9 kg			


40MM & 30MM PROJECTION SERIES

PJ OUTER FRAME




CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR
PJ 09-01	1.2 mm	3.6 kg
PJ 09-01-A	1.5 mm	4.2 kg

PJ SHUTTER & TRANSOME




CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR
PJ 09-02	1.2 mm	3.9 kg
PJ 09-02-A	1.5 mm	4.5 kg

PJ BEADING




CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR
PJ 09-03	1.0 mm	1.6 kg
PJ 09-03-A	1.2 mm	1.8 kg

PJ OUTER FRAME




CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR
300-004	1.4 mm	4.0 kg

PJ TRANSOME




CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR
300-005	1.5 mm	4.9 kg

PJ BEADING




CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR
300-006	1.0 mm	1.1 kg

ANGLE FOR 300 SERIES












CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR
01-15	2.4 mm	6.0 kg

PJ BEADING





CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR
300-007	1.4 mm	3.6 kg


ROLLING NET, SLIDING NET & ROLLER SHUTTER SERIES


ROLLING NET FRAME			ROLLING NET FRAME			ROLLING NET SHUTTER		
								
CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR	CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR	CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR
RN 2-01	1.0 mm	1.7 kg	RN 2-02	1.0 mm	1.7 kg	RN 2-03	1.0 mm	3.3 kg
SLIDING NET OUTER FRAME			SLIDING NET INNER FRAME			SLIDING NET TRANSOME & SHUTTER		
								
CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR	CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR	CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR
SN 2-04	1.0 mm	1.7 kg	SN 2-05	1.0 mm	1.75 kg	SN 2-06	1.0 mm	1.75 kg
ROLLER SHUTTER			SIDE OUTER FRAME			BOTTOM SHUTTER		
								
CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR	CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR	CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR
RS-01	1.0 mm	4.1 kg	RS-02	1.8 mm	7.8 kg	RS-03	1.8 mm	6.3 kg


CURTAIN WALL SERIES


FRAME		
		
CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR
CW 01-1	2.0 mm	11.3 kg


FRAME		
		
CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR
CW 01-2	3.0 mm	12.0 kg

CURTAIN WALL SHUTTER		
		
CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR
CW 01-3	1.5 mm	4.4 kg

TOP OUTER COVER		
		
CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR
CW 01-4	1.2 mm	1.8 kg


INNER COVER		
		
CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR
CW 01-5	2.5 mm	3.4 kg

CURTAIN WALL SHUTTER FRAME FOR BOX SECTION		
		
CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR
CW 01-6	1.5 mm	3.8 kg

CURTAIN WALL SHUTTER FOR BOX SECTION		
		
CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR
CW 01-7	1.5 mm	4.4 kg


CURTAIN WALL SERIES

CURTAIN WALL FRAME




CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR
CW 01-11	3.0 mm	12.0 kg

CURTAIN WALL FRAME




CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR
CW 01-12	1.8 mm	8.3 kg

COVER




CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR
CW 01-13	1.6 mm	1.85 kg

JOINER




CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR
CW 01-14	2.0 mm	9.5 kg

U CHANNEL




CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR
CW 01-15	1.9 mm	2.2 kg

PJ OUTER FRAME




CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR
CW 01-16	1.5 mm	4.0 kg

PJ SHUTTER




CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR
CW 01-17	1.5 mm	5.3 kg

ANGLE FOR PJ SHUTTER




CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR
CW 01-18	11.0 mm	15.0 kg

FLAT BAR




CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR
CW 01-19	5.0 mm	3.8 kg

FLAT BAR




CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR
CW 01-20	5.0 mm	2.7 kg

SUN BRAKER






CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR
CW 01-21	1.4 mm	7.1 kg



COVER





CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR
CW 01-22	1.5 mm	4.0 kg




BEADING BUTTERFLY CONNECTION SERIES




BUTTERFLY			BEADING			DOOR STOPPER		
								
CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR	CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR	CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR
03-01	1.5 mm	2.8 kg	CD 46-5	0.8 mm	0.9 kg	03-4	1.5 mm	1.4 kg
03-01A	1.2 mm	2.4 kg	CD 46-A	1.1 mm	1.3 kg			




BUTTERFLY			BEADING		
					
CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR	CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR
03-3	1.0 mm	1.1 kg	10044-3	1.0 mm	1.0 kg
			10044-3A	1.2 mm	1.2 kg

BUTTERFLY			BEADING		
					
CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR	CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR
03-2	1.0 mm	1.0 kg	03-7	1.0 mm	0.8 kg



ALUMINIUM PANEL SERIES

PANEL 			PANEL 			PANEL 		
CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR	CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR	CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR
03-5	0.7 mm	3.0 kg	03-6	1.2 mm	5.4 kg	03-8	0.8 mm	3.2 kg

PANEL 			CORNER FRAME 			OUTER FRAME 		
CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR	CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR	CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR
03-9	0.8 mm	3.2 kg	03-10	1.0 mm	2.8 kg	03-11	1.0 mm	1.9 kg


MIDDLE FRAME 			PANNEL FOR CEILING & WALL 			U CHANNEL FOR CEILING PANEL 		
CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR	CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR	CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR
03-12	0.8 mm	3.2 kg	03-13	0.8 mm	3.4 kg	03-14	1.0 mm	1.1 kg

80 MM SLIDING SERIES




80 MM SLIDING SERIES

2 TRACK BOTTOM FRAME




CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR
01-361D	1.23 mm	3.2 kg

2 TRACK TOP FRAME




CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR
01-362D	1.0 mm	3.5 kg

SHUTTER HEIGHT




CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR
01-363D	1.1 mm	3.0 kg

TOP/ BOTTOM SHUTTER




CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR
01-364D	1.1 mm	3.6 kg

SIDE OUTER FRAME




CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR
01-359C	1.0 mm	2.8 kg

SINGLE TRACK, 2 TRACK & 3 TRACK SLIDING WINDOWS & DOOR SERIES




SINGLE TRACK, 2 TRACK & 3 TRACK SLIDING WINDOWS & DOOR SERIES




SINGLE TRACK, 2 TRACK & 3 TRACK SLIDING WINDOWS & DOOR SERIES

2 TRACK TOP SLIDING




CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR
01-033	1.3 mm	4.2 kg

2 TRACK FRAME




CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR
01-036	1.3 mm	4.6 kg

TOP SHUTTER




CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR
01-201A	1.2 mm	4.2 kg

BOTTOM




CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR
01-0214D	1.5 mm	4.8 kg

BOTTOM SHUTTER




CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR
01-034A	1.2 mm	4.3 kg

FRAME




CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR
01-032	1.5 mm	3.0 kg

INTER LOCK




CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR
01-044A	1.3 mm	3.8 kg

INTER LOCK




CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR
01-261	1.2 mm	4.4 kg

3 TRACK TOP SLIDING




CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR
01-037	1.5 mm	7.0 kg

BOTTOM




CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR
01-041	1.5 mm	3.8 kg

BOTTOM















CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR
01-040	1.5 mm	3.0 kg

TRACK FRAME




CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR
01-048	1.5 mm	7.0 kg

SINGLE TRACK, 2 TRACK & 3 TRACK SLIDING WINDOWS & DOOR SERIES

U CHANNEL  <table border="1"> <thead> <tr> <th>CODE</th> <th>THICKNESS</th> <th>WEIGHT (KGS) 6.4 MTR</th> </tr> </thead> <tbody> <tr> <td>01-031</td> <td>1.9 mm</td> <td>4.0 kg</td> </tr> </tbody> </table>	CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR	01-031	1.9 mm	4.0 kg	BOTTOM  <table border="1"> <thead> <tr> <th>CODE</th> <th>THICKNESS</th> <th>WEIGHT (KGS) 6.4 MTR</th> </tr> </thead> <tbody> <tr> <td>01-039</td> <td>1.5 mm</td> <td>4.0 kg</td> </tr> </tbody> </table>	CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR	01-039	1.5 mm	4.0 kg	SLIDING SHUTTER  <table border="1"> <thead> <tr> <th>CODE</th> <th>THICKNESS</th> <th>WEIGHT (KGS) 6.4 MTR</th> </tr> </thead> <tbody> <tr> <td>01-049</td> <td>1.5 mm</td> <td>3.7 kg</td> </tr> </tbody> </table>	CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR	01-049	1.5 mm	3.7 kg
CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR																		
01-031	1.9 mm	4.0 kg																		
CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR																		
01-039	1.5 mm	4.0 kg																		
CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR																		
01-049	1.5 mm	3.7 kg																		
U CHANNEL FOR SHUTTER  <table border="1"> <thead> <tr> <th>CODE</th> <th>THICKNESS</th> <th>WEIGHT (KGS) 6.4 MTR</th> </tr> </thead> <tbody> <tr> <td>01-050</td> <td>1.5 mm</td> <td>1.2 kg</td> </tr> </tbody> </table>	CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR	01-050	1.5 mm	1.2 kg	SLIDING TRANSOME  <table border="1"> <thead> <tr> <th>CODE</th> <th>THICKNESS</th> <th>WEIGHT (KGS) 6.4 MTR</th> </tr> </thead> <tbody> <tr> <td>01-046</td> <td>1.5 mm</td> <td>5.8 kg</td> </tr> </tbody> </table>	CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR	01-046	1.5 mm	5.8 kg	MEETING CHANNEL  <table border="1"> <thead> <tr> <th>CODE</th> <th>THICKNESS</th> <th>WEIGHT (KGS) 6.4 MTR</th> </tr> </thead> <tbody> <tr> <td>01-043</td> <td>1.8 mm</td> <td>2.8 kg</td> </tr> </tbody> </table>	CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR	01-043	1.8 mm	2.8 kg
CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR																		
01-050	1.5 mm	1.2 kg																		
CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR																		
01-046	1.5 mm	5.8 kg																		
CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR																		
01-043	1.8 mm	2.8 kg																		
BOTTOM CHANNEL  <table border="1"> <thead> <tr> <th>CODE</th> <th>THICKNESS</th> <th>WEIGHT (KGS) 6.4 MTR</th> </tr> </thead> <tbody> <tr> <td>01-042</td> <td>1.5 mm</td> <td>1.6 kg</td> </tr> </tbody> </table>	CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR	01-042	1.5 mm	1.6 kg	BOTTOM CHANNEL  <table border="1"> <thead> <tr> <th>CODE</th> <th>THICKNESS</th> <th>WEIGHT (KGS) 6.4 MTR</th> </tr> </thead> <tbody> <tr> <td>01-047</td> <td>1.5 mm</td> <td>1.5 kg</td> </tr> </tbody> </table>	CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR	01-047	1.5 mm	1.5 kg	NET CHANNEL  <table border="1"> <thead> <tr> <th>CODE</th> <th>THICKNESS</th> <th>WEIGHT (KGS) 6.4 MTR</th> </tr> </thead> <tbody> <tr> <td>01-149-A</td> <td>1.4 mm</td> <td>2.0 kg</td> </tr> </tbody> </table>	CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR	01-149-A	1.4 mm	2.0 kg
CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR																		
01-042	1.5 mm	1.6 kg																		
CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR																		
01-047	1.5 mm	1.5 kg																		
CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR																		
01-149-A	1.4 mm	2.0 kg																		
BOTTOM  <table border="1"> <thead> <tr> <th>CODE</th> <th>THICKNESS</th> <th>WEIGHT (KGS) 6.4 MTR</th> </tr> </thead> <tbody> <tr> <td>01-038</td> <td>1.8 mm</td> <td>2.8 kg</td> </tr> </tbody> </table>	CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR	01-038	1.8 mm	2.8 kg	BOTTOM  <table border="1"> <thead> <tr> <th>CODE</th> <th>THICKNESS</th> <th>WEIGHT (KGS) 6.4 MTR</th> </tr> </thead> <tbody> <tr> <td>01-352</td> <td>1.5 mm</td> <td>5.0 kg</td> </tr> </tbody> </table>	CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR	01-352	1.5 mm	5.0 kg	SHUTTER TOP  <table border="1"> <thead> <tr> <th>CODE</th> <th>THICKNESS</th> <th>WEIGHT (KGS) 6.4 MTR</th> </tr> </thead> <tbody> <tr> <td>01-35A</td> <td>1.2 mm</td> <td>4.4 kg</td> </tr> </tbody> </table>	CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR	01-35A	1.2 mm	4.4 kg
CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR																		
01-038	1.8 mm	2.8 kg																		
CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR																		
01-352	1.5 mm	5.0 kg																		
CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR																		
01-35A	1.2 mm	4.4 kg																		


CONNECTION & FURNITURE SERIES

PHOTO FRAME TOP




CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR
MA-101	1.2 mm	1.0 kg

P.O.P TOP COVER




CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR
MA-106	1.1 mm	1.85 kg

FURNITURE SECTION




CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR
MA-110	0.7 mm	0.55 kg

PHOTO FRAME BOTTOM




CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR
MA-102	1.2 mm	1.7 kg

P.O.P BOTTOM SECTION




CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR
MA-107	1.1 mm	2.0 kg

FURNITURE SECTION




CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR
MA-111	1.2 mm	1.8 kg

COLOR SAMPLE TOP




CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR
MA-109	1.2 mm	1.4 kg

TRUNKING




CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR
MA-112	1.2 mm	2.1 kg

FURNITURE SECTION




CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR
MA-112	1.0 mm	3.0 kg

COLOR SAMPLE TOP



CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR
MA-108	1.2 mm	1.6 kg

TRUNKING



CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR
QAC-09	1.4 mm	2.5 kg


DISPLAY SECTION

SIDE BOTTOM SECTION



CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR
D1	1.4 mm	4.6 kg

TOP & SIDE SECTION




CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR
D2	1.0 mm	2.0 kg

PLAIN CHANNEL




CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR
D3	1.0 mm	1.6 kg

LOCKING E CHANNEL




CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR
D4	1.2 mm	1.5 kg

TOP & BOTTOM SHUTTER




CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR
D5	1.3 mm	1.6 kg

HEIGHT SHUTTER




CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR
D6	1.0 mm	2.0 kg

BOTTOM RAIL















CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR
D7	1.3 mm	1.0 kg

BOTTOM RAIL




CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR
D8	1.6 mm	1.7 kg

CURTAIN WALL | DOOR FRAME | DOOR SHUTTER | PROJECTED

CURTAIN WALL			CURTAIN WALL			CURTAIN WALL SHUTTER		
								
CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR	CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR	CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR
01-8N	1.0 mm	3.35 kg	01-9N	1.0 mm	4.5 kg	01-3N	1.0 mm	2.8 kg
DOOR FRAME			DOOR FRAME			BEADING		
								
CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR	CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR	CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR
01-139N	1.0 mm	4.0 kg	01-180N	1.0 mm	3.55 kg	01-142N	1.0 mm	1.0 kg
DOOR SHUTTER			DOOR SHUTTER TRANSOME			LOUVER		
								
CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR	CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR	CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR
46-7A	1.0 mm	3.95 kg	46-8A	1.0 mm	4.2 kg	01-150B	1.0 mm	1.90 kg
PJ BEADING			PJ FRAME			PJ SHUTTER & TRANSOME		
								
CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR	CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR	CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR
09-3N	1.0 mm	1.5 kg	50-2N	1.0 mm	2.0 kg	50-3N	1.0 mm	3.0 kg


SLIDING 70 LIGHT SERIES

SLIDING TOP FRAME




CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR
8020N	0.83 mm	3.6 kg

SLIDING BOTTOM FRAME




CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR
8021N	0.8 mm	2.75 kg

SIDE HEIGHT OUTER FRAME




CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR
8022N	0.8 mm	2.40 kg

SLIDING SHUTTER




CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR
8023N	0.8 mm	3.0 kg

SLIDING SHUTTER INTER LOCK




CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR
8024N	0.8 mm	3.0 kg

SHUTTER TOP & BOTTOM




CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR
8026N	0.8 mm	2.9 kg

SHUTTER TRANSOME




CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR
8027N	0.8 mm	2.7 kg

SINGLE TRACK




CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR
8028N	1.0 mm	2.1 kg

SINGLE TRACK BOTTOM




CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR
8029N	1.0 mm	1.9 kg

SLIDING MEETING CHANNEL




CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR
8030N	1.0 mm	1.9 kg

SLIDING NET SHUTTER



CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR
01-149B	0.8 mm	1.45 kg


FIX NET



CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR
01-149N	0.9 mm	1.00 kg


BUS BODY

BUS BODY CLIP




CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR
REF-540	1.8 mm	3.2 kg

BUS BODY CLIP




CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR
REF-541	1.8 mm	2.6 kg

T SECTION BUS BODY CLIP




CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR
MA-105A	1.5 mm	1.4 kg

BUS BODY ROUND PIPE




CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR
REF-577	15.9 mm	15.4 kg

BUS BODY ROUND PIPE



CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR
REF-578	14.6 mm	17.0 kg

BUS BODY ROUND PIPE




CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR
REF-614	1.2 mm	2.3 kg

BUS BODY ROUND PIPE




CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR
MA-103	1.65 mm	1.8 kg

BUS BODY BRACKET




CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR
MA-104	4.0 mm	21.5 kg

BULB "T"




CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR
MA-105	1.2 mm	1.3 kg

BUS BODY LOCKING CLIP




CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR
REF-615	11.2 mm	12.45 kg

U CHANNEL



CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR
1312N	0.9 mm	0.75 kg


SIDE CLIP



CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR
REF-556	0.9 mm	1.6 kg


SLIDING GLASS PROFILE & CONNECTION SERIES

GLASS TOP SLIDING




CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR
REF-556	1.5 mm	6.0 kg

GLASS BOTTOM SLIDING




CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR
REF-582	3.0 mm	7.1 kg

GLASS U CHANNEL




CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR
REF-584	3.0 mm	3.8 kg

GLASS U CHANNEL




CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR
REF-585	3.0 mm	5.7 kg

U CHANNEL




CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR
1308N	1.0 mm	1.2 kg

U CHANNEL




CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR
1309N	1.25 mm	2.2 kg

BUTTER FLY




CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR
01-3N	1.0 mm	1.7 kg

BUTTER FLY A



CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR
03-2N	0.8 mm	0.84 kg

BEADING A






CODE	THICKNESS	WEIGHT (KGS) 6.4 MTR
03-7N	0.8 mm	0.63 kg


2001 SERIES ACCESSORIES

Code No.	Item Name & Size	Image	Quantity
M2	Wool Pile 7mm X 5mm		Per Roll
M53	Crescent Lock Double Side Available Colour : Black / White / Silver		Per Pc
M54	2001 Glass Shutter Roller		Per Pc
M55	2001 Glass Shutter Guider Top & Bottom		Per Pair
M56	2001 Net Shutter Plastic Angle		Per Pc
M57	2001 Net Shutter Plastic Guider		Per Pc

EURO SLIDING ACCESSORIES

Code No.	Item Name & Size	Image	Quantity
M58	2 Wheel Plastic Roller		Per Pc
M59	2 Wheel Steel Roller		Per Pc
M60	Single Wheel Steel Roller		Per Pc
M61	Sliding Shutter Corner Angle		Per Pc
M62	L Clip / Corner Clip		Per Pc
M63	Sliding Window Lock		Per Set
M64	Sliding Window Handle		Per Set
M65	Sliding Stopper		Per pc
M66	Water Hole Cover		Per pc
M67	Wheel Stoper		Per pc

EURO SLIDING ACCESSORIES





Code No.	Item Name & Size	Image	Quantity
M2	Wool Pile 7mm X 5mm		Per Roll
M38	Sliding Door Lock with Keys		Per Set
M39	Sliding Door Lock without Key Available in Black & White Colors		Per Set
M40	Sliding Door Handle Available in Black & White Colors		Per Set
M41	Sliding Door Lock with Key & Long Pin Available in Black & White Colors		Per Set
M68	Dust Protector Plastic		Per Pc
M69	Locking Channel Plastic Cover		Per Pc
M70	4 Part Door Window Sliding Stopper		Per Pc



MODERN

ALUMINIUM



46 SERIES ACCESSORIES

Code No.	Item Name & Size	Image	Quantity
M28	Big Door Handle		Per Pair
M29	Small Door Handle		Per Pair
M30	30mm Dad lock		Per Set
M31	30mm Roller lock		Per Set
M32	Door Hinges		Per Pair
M33	Door Hinges		Per Pair
M71	Door Bolt / Flush Bolt		Per Set
M72	Floor Spring		Per Set


EURO DOORS PROJECTED SERIES ACCESSORIES

Code No.	Item Name & Size	Image	Quantity
M73	EURO Door & Window Hinges		Per Pc
M74	EURO Door & Window Hinges		Per Pc
M75	EURO Door Hinges Big Size		Per Pc
M52	Hard Base Rubber 4.8 mm		Per Roll
M1	Wool Pile 5mm X 6mm		Per Roll
M62	L Clip / Corner Clip		Per Pc
M76	Inner Corner Joint for Euro Door & window Shutters		Per Set
M77	Outer Corner Joint for Euro Door & window Frame		Per Set
M78	Euro Door Tower Bolt Long		Per Pc
M79	Euro Door Tower Bolt Short		Per Pc
M80	Side Hung Handle Available in Black & White		Per Pc



EURO DOORS PROJECTED SERIES ACCESSORIES

Code No.	Item Name & Size	Image	Quantity
M81	EURO Door & Window Transome Angel		Per Pc
M82	EURO Door & Window Catcher		Per Pc
M83	EURO Door Hinges Big Size		Per Pc
M19	Side Hung Stay Arm 12 inch		Per Pc
M20	Side Hung Stay Arm 16 inch		Per Pc
M21	Projected Handle Available in Black & White Color	 	Per Set
M34	35mm Latch lock		Per Set
M35	35mm Roller lock		Per Set



ACCESSORIES

Code No.	Item Name & Size	Image	Quantity
M1	Wool Pile 5mm X 6mm		Per Roll
M2	Wool Pile 7mm X 5mm		Per Roll
M3	Wool Pile 7mm X 10mm		Per Roll
M4	Wool Pile 10.5mm X 7mm		Per Roll
M5	Mosquito Net 1.200 mm X 30mtr		Per Roll
M6	Mosquito Net 1.500 mm X 30mtr		Per Roll
M7	Steel Net (Heavy Guage) 1.500 mm X 30mtr		Per Roll
M8	Steel Net (Light Guage) 1.500 mm X 30mtr		Per Roll
M9	Fixing Screw 8mm X 80mm		Per Pkt
M10	Fixing Screw 8mm X 100mm		Per Pkt
M11	Fixing Screw 8mm X 120mm		Per Pkt




ACCESSORIES

Code No.	Item Name & Size	Image	Quantity
M12	Friction Hinges 10 inch Small Base		Per Pair
M13	Friction Hinges 12 inch Small Base		Per Pair
M14	Friction Hinges 14 inch Small Base		Per Pair
M15	Friction Hinges 16 inch Small Base		Per Pair
M16	Friction Hinges 18 inch Small & Big Base		Per Pair
M17	Friction Hinges 20 inch Small & Big Base		Per Pair
M18	Friction Hinges 24 inch Small & Big Base		Per Pair
M19	Side Hung Stay Arm 12 inch		Per Pc
M20	Side Hung Stay Arm 16 inch		Per Pc
M21	Projected Handle Available in Black & White Color		Per Set
M22	Handle & Lock for Curtain Wall Series		Per Set

ACCESSORIES

Code No.	Item Name & Size	Image	Quantity
M23	Telescopic Hinges 5 Steps for Euro Profile		Per Pair
M24	Angle for Fix net Profile No. 01-153		Per Pc
M25	Angle for Fix net Profile No. 01-149 & 01-149-A		Per Pc
M26	Double Tape 10mm x 10mm		Per Roll
M27	Double Tape 10mm x 5mm		Per Roll
M28	Big Door Handle		Per Pair
M29	Small Door Handle		Per Pair
M30	30mm Latch lock		Per Set
M31	30mm Roller lock		Per Set

ACCESSORIES

Code No.	Item Name & Size	Image	Quantity
M32	Door Hinges		Per Pair
M33	Door Hinges		Per Pair
M34	35mm Latch lock		Per Set
M35	35mm Roller lock		Per Set
M36	Stainless Steel Handle in Round Shape		Per Pc
M37	Stainless Steel Handle D Type		Per Pc
M38	Sliding Door Lock with Keys		Per Set
M39	Sliding Door Lock without Key Available in Black & White Colors		Per Set
M40	Sliding Door Handle Available in Black & White Colors		Per Set
M41	Sliding Door Lock with Key & Long Pin Available in Black & White Colors		Per Set

ACCESSORIES

Code No.	Item Name & Size	Image	Quantity
M42	Round Rubber 3.5mm		Per Roll
M43	Round Rubber 5mm		Per Roll
M44	Round Rubber 6mm		Per Roll
M45	Glazing Rubber 2mm		Per Roll
M46	Glazing Rubber 3mm		Per Roll
M47	Glazing Rubber 3.5mm		Per Roll
M48	Glazing Rubber 4mm		Per Roll
M49	Glazing Rubber 5mm		Per Roll
M50	Glazing Rubber 6mm		Per Roll
M51	Glazing Rubber 6.5mm		Per Roll
M52	Hard Base Rubber 4.8 mm		Per Roll




RAW MATERIAL INGOT




ALUMINIUM BILLET



DIE MANUFACTURING



MILL FINISH



ANODIZING



POWDER COATING



WOOD EFFECT



MODERN
ALUMINIUM
Modern Distillers Ltd.



Factory :

Plot # 19, Kyaggwe Block 295, Near The Amazima School,
Modern Road, Mbiko, Jinja, Uganda



Kampala Outlet (Industrial Area) :

Plot # 19, 21, 23, Kibira Road, Opp. Uganda Baati Factory, Kampala



+256 754 999 299 | + 256 750 727 975



modernaluminiumug@gmail.com